

VIVACE

Fractional Micro Needle RF

CONSENT FORM

This form is designed to give you the information you require to make an informed choice of whether or not to undergo treatment with Vivace technology. If you have any questions before your treatment, please feel free to ask.

I hereby authorize _____ and/or such assistants as may be selected to perform the Vivace procedure.

The physician obtained my medical history and found me eligible for treatment.

I have received the following information about the technology:

- Vivace technology utilizes fractional radiofrequency (RF) and micro needling indicated for facial/neck/ chest and back of hands, as well as small body areas.
- The Vivace treatment induces ablation, thus improving the appearance of rough texture, fine lines, wrinkles, and depressed scars, such as acne scars along with superficial pigments that will be ablated. The treatment also induces skin rejuvenation by heating of the dermis which stimulates collagen generation and replenishment.
- The treatment requires anesthesia that involves topical cream, injections, or sedation according to the treatment parameters and the physician discretion.
- I understand that taking the treatment course is my choice and that I am free to withdraw at any time, without giving any reason.
- There may be alternative procedures or methods of treatment, such as fractional lasers for ablation (CO₂) and lasers, IPL or RF based systems for skin rejuvenation. Details were explained to me.
- I was told about the possible side effects of the treatment including: local pain, skin redness (erythema), swelling (edema), damage to the natural skin texture (crust, blister, burn), change of skin pigmentation (hyper- or hypo-pigmentation), pinpoint bleeding and scarring.
- Although these effects are rare and expected to be temporary, redness and swelling may last up to 3 weeks, and are part of a normal reaction to the treatment. Burns and resulting pigmentation change and scarring are rare and may happen in dark skin that is not taken care according to instructions. Tiny scabs may appear on the face for a few days as part of a normal healing, however make-up may be applied as soon as 1-3 days after the session to mask them and residual redness. Any adverse reaction should be reported immediately.
- I understand that the treatment involves multiple sessions, 30 days apart, according to treatment parameters and individual response.
- I understand that I have to comply with treatment schedule, otherwise results may be compromised.
- I recognize that during the course of the procedure unforeseen conditions may necessitate different procedures than this above and I authorize the physician or assistants to perform such other procedures if they find them professionally desired.
- I understand that not everyone is a candidate for this treatment and results may vary.
- Therefore, there is no guarantee as to the results that may be obtained.

The procedures to be used to treat my conditions have been explained to me.

Patient Initials: _____ Physician/Assistant Initials: _____

1. I have had sufficient opportunity to discuss my condition and treatment. I believe I have adequate knowledge upon which to base an informed consent.
2. Any questions I may have asked have been answered to my satisfaction.
3. I authorize before, during and after the procedure(s) the taking of photographs to be part of my patient profile that may be used for scientific or marketing purposes without disclosing my identity.

Patient Signature

Physician/Assistant Signature

Patient Name (Print)
Or person authorized to sign for patient

Physician/Assistant Name (Print)

Date



VIVACE TREATMENT INSTRUCTIONS

BEFORE YOUR TREATMENT

- Avoid use of non-steroidal anti-inflammatory drugs (NSAIDs like aspirin, motrin, advil ibuprofen, or any other non-tylenol, non-acetaminophen product) for two weeks prior to treatment to minimize the potential for bruising, unless the medications involved are prescribed for the treatment of an existing medical condition.
- Hydrate: for seven days prior, moisturize your skin in the morning and evening. Drink at least 8 glasses of water a day.
- If you have a history of fever blisters, take antiviral medication starting 1 day prior and follow directions of your prescription.
- Stop all topical acids (like glycolic, alpha or beta hydroxyl acids), retinols, retin-A, or other like products 7 days prior to treatment.
- Avoid tanning beds or prolonged exposure to the sun 7 days prior to treatment. Always use a zinc oxide sunscreen with SPF 30+
- Remove all substances from the intended treatment area, including topical numbing cream, tanning products, ointments, lotions, perfumes, bath/shower oils, deodorants etc. Do not use flammable products in the vicinity of anticipated treatment.
- Pack sunglasses and a hat for post treatment use.

WHAT TO EXPECT DURING + AFTER VIVACE TREATMENT

- | | | |
|---------------------|---------------------|---|
| • Pinpoint bleeding | • Redness | • Swelling |
| • Some discomfort | • Pressure | • Tingling sensation from numbing cream |
| • Warmth/heat | • Sunburn sensation | • Crusting |

- In some spots of the treatment area, pinpoint bleeding may occur. Redness may present during and after treatment. Not all areas will experience the same erythema.
- You may also experience swelling after the treatment. To help minimize swelling, you may use cold packs and sleep elevated with a few pillows at night.
- Up to 24 hours post treatment you may experience warmth comparable to a sensation of sunburn. This is normal and can be alleviated with cold packs.

POST CARE

- Avoid vitamin C, retinoids, glycolic, salicylic, alpha and beta hydroxy acids for 1 week.
- No makeup, sunscreen or exercise the day of treatment.
- Avoid direct sun exposure for 1 week.
- Refrain from exercise for 24 hours.
- Be sure to use sunscreen daily. We recommend a physical sunscreen (containing zinc).
- Wear a hat and sunglasses the day of treatment.
- Apply remainder of post treatment serum over the 4 hours of post treatment.

If you have any questions or concerns, or experience an unexpected reaction please call us immediately.